







Pyramidal Horn Antenna

Pyramidal horn antenna with the surface finish from Alodine 2040. H-A18-W15 pyramidal horn antenna is made with precision and care with the latest technology to deliver accurate and reliable antenna measurements. The operating frequency is from 12.4 GHz up to 18 GHz with a flat Gain of 15 dBi. The H-A18-W15 can be supplemented with a corresponding Waveguide to Coax Adapter.

Features and Specifications

 <p><b>Technical Performance</b></p> <ul style="list-style-type: none"> <li>Wide bandwidth</li> <li>Low return loss</li> </ul>	 <p><b>Design and Surface Treatment</b></p> <ul style="list-style-type: none"> <li>Corrosion-resistant coating</li> </ul>	 <p><b>Manufacturing Technology</b></p> <ul style="list-style-type: none"> <li>Manufactured using a high grade aluminum alloy</li> <li>Extremely durable</li> </ul>	 <p><b>Product Packaging Includes</b></p> <ul style="list-style-type: none"> <li>Antenna</li> </ul>
---	--	--	--


Product Parameters

<p><b>PRODUCT IDENTIFICATION</b></p> <table border="1"> <tr> <td>Product Name</td> <td><b>H-A18-W15</b></td> </tr> <tr> <td>Product Category</td> <td><b>Pyramidal Horn Antenna</b></td> </tr> </table> <p><b>ELECTRICAL SPECIFICATIONS</b></p> <table border="1"> <tr> <td>Frequency Range</td> <td><b>12.4 GHz – 18 GHz</b></td> </tr> <tr> <td>VSWR (max.)</td> <td><b>1.14</b></td> </tr> <tr> <td>VSWR (avg.)</td> <td><b>1.1</b></td> </tr> <tr> <td>Waveguide Size</td> <td><b>WR62</b></td> </tr> <tr> <td>Waveguide Flange</td> <td><b>UG-1665/U</b></td> </tr> <tr> <td>Polarization</td> <td><b>Linear</b></td> </tr> </table>	Product Name	<b>H-A18-W15</b>	Product Category	<b>Pyramidal Horn Antenna</b>	Frequency Range	<b>12.4 GHz – 18 GHz</b>	VSWR (max.)	<b>1.14</b>	VSWR (avg.)	<b>1.1</b>	Waveguide Size	<b>WR62</b>	Waveguide Flange	<b>UG-1665/U</b>	Polarization	<b>Linear</b>	<p><b>PHYSICAL SPECIFICATIONS</b></p> <table border="1"> <tr> <td>Width</td> <td><b>47.7 mm (1.878 in)</b></td> </tr> <tr> <td>Height</td> <td><b>46.6 mm (1.835 in)</b></td> </tr> <tr> <td>Depth</td> <td><b>37.7 mm (1.484 in)</b></td> </tr> <tr> <td>Weight</td> <td><b>0.038 kg (0.084 lb)</b></td> </tr> </table> <p><b>OPERATING CONDITIONS</b></p> <table border="1"> <tr> <td>Rated Temperature Range</td> <td><b>0°C – +50°C</b></td> </tr> <tr> <td>Storage Temperature Range</td> <td><b>-20°C – +70°C</b></td> </tr> </table>	Width	<b>47.7 mm (1.878 in)</b>	Height	<b>46.6 mm (1.835 in)</b>	Depth	<b>37.7 mm (1.484 in)</b>	Weight	<b>0.038 kg (0.084 lb)</b>	Rated Temperature Range	<b>0°C – +50°C</b>	Storage Temperature Range	<b>-20°C – +70°C</b>
Product Name	<b>H-A18-W15</b>																												
Product Category	<b>Pyramidal Horn Antenna</b>																												
Frequency Range	<b>12.4 GHz – 18 GHz</b>																												
VSWR (max.)	<b>1.14</b>																												
VSWR (avg.)	<b>1.1</b>																												
Waveguide Size	<b>WR62</b>																												
Waveguide Flange	<b>UG-1665/U</b>																												
Polarization	<b>Linear</b>																												
Width	<b>47.7 mm (1.878 in)</b>																												
Height	<b>46.6 mm (1.835 in)</b>																												
Depth	<b>37.7 mm (1.484 in)</b>																												
Weight	<b>0.038 kg (0.084 lb)</b>																												
Rated Temperature Range	<b>0°C – +50°C</b>																												
Storage Temperature Range	<b>-20°C – +70°C</b>																												



## Parameters and Performance

### Typical parameters

#### Gain



#### Beamwidth



## Packaging and Accessories

#### What's in a box

- H-A18-W15 Antenna

#### Accessories

- Standard mounting flange

## Manufacturer Information

#### About Datasheet

Product information available also online at  
<https://www.rfspin.com/product/h-a18-w15/>

*Data and specifications subject to change without notice.*

*Datasheet revision 01-2022.*

© RFspin 2022

#### Address

RFspin s.r.o.  
Na Beránce 57/2  
160 00 Prague 6  
Czech Republic

#### E-mail

[info@rfspin.com](mailto:info@rfspin.com)

#### Phone

+420 245 008 847